

# What Services and Vaccines Does My Cat Need?

					Packages:		
	Description	Recommended For	How Often: Adults	How Often: Kittens	Rabies Only	Cat Basic	Cat Deluxe
<b>Office Visit</b> \$10	Required for all pets receiving preventive care. We will make you aware of concerns that may need a full service vet. This fee can be waived with proof of government assistance.	All cats	Annually	Every 3-4 weeks as they grow and before their spay/neuter surgery.	✓	✓	✓
<b>Rabies Vaccine</b> One-Year: \$15 Three-Year: \$30	Required by law for all pets. It protects your cat against rabies - a disease typically transmitted through saliva or bite wounds from other animals that is deadly to both animals and humans.	All cats	+ First time: 1 Year + Can last up to 3 years with proof of previous vaccine	Give between 12-16 weeks of age; lasts for 1 year.	✓	✓	✓
<b>FVRCP Vaccine</b> (Feline Viral Rhinotracheitis Calicivirus Panleukopenia) \$15	This vaccine protects against some of the most common (and deadly) diseases. These diseases can last for long periods of time in the environment, so it's important even for cats who won't be traveling outside of your home or yard.	All cats	+ First time: Booster within 3-4 weeks + Annually	Start at 8 weeks and booster every 3-4 weeks as recommended by your vet.	✗	✓	✓
<b>FeLV Vaccine</b> (Feline Leukemia Virus) \$15	This vaccine protects against Feline Leukemia Virus (FeLV). This virus is transmitted when infected cats interact closely with other cats. It can weaken a cat's immune system, which causes them to get sick more easily and to have a shorter life span.	Cats who are less than 1-year-old, have access to the outdoors, or may encounter new cats	+ First time: Booster within 3-4 weeks + Annually if your cat has outdoor access/ encounters new or unknown cats	Start at 12 weeks and booster once 3-4 weeks later as recommended by your vet.	✗	✓	✓
<b>FeLV / FIV Test</b> \$20	Tests for two viruses cats can transmit to other cats. Cats transmit Feline Leukemia Virus (FeLV) by grooming each other, sharing bowls, and between mother cats and their kittens. Cats transmit Feline Immunodeficiency Virus (FIV) through deep bite wounds from fighting. Both diseases can weaken a cat's immune system and cause them to get sick more easily.	Cats who are new to your household, that go outside, fight with other cats, or wish to get an FeLV vaccine (recommended)	+ Before introducing into a new household + Annually for cats who go outside	Before introducing to a new household	✗	✗	✓
<b>Fecal Test</b> \$20	Tests for parasite eggs in the stool of your pet. Important to know if an additional dewormer is needed, or if you need to be concerned about transmission of the worms to people in your home.	All cats (to protect both you and them)	Annually	Start at 10-12 weeks, test again after treatment if parasites are found.	✗	✗	✓
<b>Pyrantel</b> (Dewormer) \$8	A dewormer for roundworms and hookworms. Especially recommended for cats who go outdoors and may hunt wildlife, which expose your cat to a greater risk of parasite infection. These worms can also be transmitted to humans.	All cats (especially cats who go outside)	Annually	Start at 6-8 weeks, further treatment as recommended by a veterinarian.	✗	✗	✓